

Lecture 2


Introduction to Data Flow Analysis

- I Example: Reaching definition analysis
- II Example: Liveness Analysis
- III A General Framework
(Theory in next lecture)

Reading: Chapter 9.2

Data Flow Analysis

- **Data flow analysis:**
 - properties of data taken into consideration the control flow in a function (also known as flow-sensitive analysis)
 - intraprocedural analysis
- **Examples of optimizations:**
 - Constant propagation
 - Common subexpression elimination
 - Dead code elimination




Value of x?

Which “definition” defines x?


Is the definition still meaningful (live)?

I. Static program vs. dynamic execution




- **Statically:** Finite program
- **Dynamically:** Can have infinitely many possible execution paths
- **Data flow analysis abstraction:**
 - For each **static** point in the program:
combines information of all the **dynamic** instances of the same program point.
- **Example of a data flow question:**
 - Which definition defines the value used in statement “`b = a`”?

Reaching Definitions




- Every assignment is a definition
- A **definition** d **reaches** a point p if **there exists** a path from the point immediately following d to p such that d is not killed (overwritten) along that path.
- Problem statement
 - For each point in the program, determine if each definition in the program reaches the point
 - A bit vector per program point, vector-length = #defs

Data Flow Analysis Schema




- Build a flow graph (nodes = basic blocks, edges = control flow)
- Set up a set of equations between $in[b]$ and $out[b]$ for all basic blocks b
 - Effect of code in basic block:
Transfer function f_b relates $in[b]$ and $out[b]$, for same b
 - Effect of flow of control:
relates $out[b_1]$, $in[b_2]$ if b_1 and b_2 are adjacent
- Find a solution to the equations

Effects of a Basic Block




- A statement s ($d: x = y + z$)
 $out[s] = f_s(in[s]) = Gen[s] \cup (in[s] - Kill[s])$
 - **Gen[s]**: definitions generated: $Gen[s] = \{d\}$
 - $in[s] - Kill[s]$: **propagated** definitions: $in[s] - Kill[s]$,
 where $Kill[s]$ = set of all other defs to x in rest of program
- $out[B] = f_{d_2} f_{d_1} f_{d_0}(in[B])$
 $= Gen[d_2] \cup (Gen[d_1] \cup (Gen[d_0] \cup (in[B] - Kill[d_0]))) - Kill[d_1]) - Kill[d_2]$
 $= Gen[d_2] \cup (Gen[d_1] \cup (Gen[d_0] - Kill[d_1]) - Kill[d_2]) \cup$
 $in[B] - (Kill[d_0] \cup Kill[d_1] \cup Kill[d_2])$
 $= Gen[B] \cup (in[B] - Kill[B])$
 - $Gen[B]$: locally exposed definitions (available at end of bb)
 - $Kill[B]$: set of definitions killed by B

Effects of the Edges (acyclic)



- Join node: a node with multiple predecessors
- **meet** operator (\wedge): \cup
$$\text{in}[b] = \text{out}[p_1] \cup \text{out}[p_2] \cup \dots \cup \text{out}[p_n], \text{ where}$$
$$p_1, \dots, p_n \text{ are predecessors of } b$$

Cyclic Graphs



- Equations still hold
 - $out[b] = f_b(in[b])$
 - $in[b] = out[p_1] \cup out[p_2] \cup \dots \cup out[p_n], p_1, \dots, p_n \text{ pred.}$
- Find: fixed point solution

Reaching Definitions: Iterative Algorithm

```
input: control flow graph CFG = (N, E, Entry, Exit)

// Boundary condition
  OUT[Entry] =  $\emptyset$ 

// Initialization for iterative algorithm
  For each basic block B other than Entry
    OUT[B] =  $\emptyset$ 

// iterate
  While (changes to any OUT occur) {
    For each basic block B other than Entry {
      in[B] =  $\cup$  (out[p]), for all predecessors p of B
      out[B] =  $f_B(\text{in}[B])$  // out[B]=gen[B] $\cup$ (in[B]-kill[B])
    }
  }
```

Summary of Reaching Definitions

	Reaching Definitions
Domain	Sets of definitions
Transfer function $f_b(x)$	forward: $out[b] = f_b(in[b])$ $f_b(x) = Gen_b \cup (x - Kill_b)$ Gen_b : definitions in b $Kill_b$: killed defs
Meet Operation	$in[b] = \cup out[predecessors]$
Boundary Condition	$out[entry] = \emptyset$
Initial interior points	$out[b] = \emptyset$

II. Live Variable Analysis

- **Definition**


- A variable v is **live** at point p if the *value* of v is used along some path in the flow graph starting at p .
- Otherwise, the variable is **dead**.

- **Problem statement**

- For each basic block b ,
 - determine if each variable is live at the start/end point of b
- Size of bit vector: one bit for each **variable**

Effects of a Basic Block (Transfer Function)

- **Observation:** Trace uses back to the definitions




- **Direction: backward:** $\text{in}[b] = f_b(\text{out}[b])$
- **Transfer function** for statement $s: x = y + z$
 - generate live variables: $\text{Use}[s] = \{y, z\}$
 - propagate live variables: $\text{out}[s] - \text{Def}[s], \text{Def}[s] = x$
 - $\text{in}[s] = \text{Use}[s] \cup (\text{out}(s) - \text{Def}[s])$
- **Transfer function** for basic block b :
 - $\text{in}[b] = \text{Use}[b] \cup (\text{out}(b) - \text{Def}[b])$
 - $\text{Use}[b]$, set of locally exposed uses in b , uses not covered by definitions in b
 - $\text{Def}[b]$ = set of variables defined in b .

Across Basic Blocks

- **Meet operator (\wedge):**
 - $\text{out}[b] = \text{in}[s_1] \cup \text{in}[s_2] \cup \dots \cup \text{in}[s_n]$, s_1, \dots, s_n are successors of b
- **Boundary condition:**

Example



Liveness: Iterative Algorithm

```
input: control flow graph CFG = (N, E, Entry, Exit)

// Boundary condition
  IN[Exit] =  $\emptyset$ 

// Initialization for iterative algorithm
  For each basic block B other than Exit
    IN[B] =  $\emptyset$ 

// iterate
  While (changes to any IN occur) {
    For each basic block B other than Exit {
      out[B] =  $\cup$  (in[s]), for all successors of B
      in[B] =  $f_B(\text{out}[B])$  // in[B]=Use[B] $\cup$ (out[B]-Def[B])
    }
  }
```


III. Framework

	Reaching Definitions	Live Variables
Domain	Sets of definitions	Sets of variables
Direction	forward: $out[b] = f_b(in[b])$ $in[b] = \wedge out[pred(b)]$	backward: $in[b] = f_b(out[b])$ $out[b] = \wedge in[succ(b)]$
Transfer function	$f_b(x) = Gen_b \cup (x - Kill_b)$	$f_b(x) = Use_b \cup (x - Def_b)$
Meet Operator (\wedge)	\cup	\cup
Boundary Condition	$out[entry] = \emptyset$	$in[exit] = \emptyset$
Initial Interior points	$out[b] = \emptyset$	$in[b] = \emptyset$

Problem 1. “Must-Reach” Definitions

- A definition D ($a = b+c$) must reach point P iff
 - D appears at least once along on all paths leading to P
 - a is not redefined along any path after last appearance of D and before P
- How do we formulate the data flow algorithm for this problem?

Problem 2: A legal solution to (May) Reaching Def?



- Will the worklist algorithm generate this answer?

What are the algorithm properties?

- **Correctness**
- **Precision: how good is the answer?**
- **Convergence: will the analysis terminate?**
- **Speed: how long does it take?**